ELSEVIER

Neuroscience Letters 358 (2004) 226–229

Neuroscience Letters

www.elsevier.com/locate/neulet

Author Index to Volume 358

Abe, M., see Matsumoto, Y., 99
Adachi, Y., see Matsumoto, Y., 99
Amouyel, P., see Helbecque, N., 41
Andreasen, N., see Blomqvist, M.E.-L., 220
Archer, N., see Cook, L.J., 142
Arendt-Nielsen, L., see Drewes, A.M., 45
Arrebola, M.M., see Guerrero, A., 153
Asseman, F., Caron, O., Crémieux, J., Is there a transfer of postural ability from specific to unspecific postures in elite gymnasts?, 83
Avola, R., Mignini, F., Mazzone, V., Fisichella, A., Zaccheo, D., Tomassoni, D., Growth factor-estradiol interaction on DNA labeling and cytoskeletal protein expression in cultured rat astrocytes, 177

Baba, Y., see Ogawa, H., 185
Bai, S., see Liu, Y., 149
Baik, H.-H., see Jang, M.-H., 189
Banta, M., see Wersinger, C., 95
Bartrés-Faz, D., see Solé-Padullés, C., 5
Bekinschtein, T.A., see Marpegan, L., 9
Bergasa, N.V., Dersch, C.M., Rothman, R.B., A study of bile acids as opioid receptor ligands in rat brain membranes, 68
Berr, C., see Helbecque, N., 41
Bilecki, W., see Starowicz, K., 79
Blennow, K., see Blomqvist, M.E.-L., 220
Blomqvist, M.E.-L., Andreasen, N., Bogdanovic, N., Blennow, K., Brookes, A.J., Prince, J.A., Genetic variation in *CTNNA3* encoding alpha-3 catenin and Alzheimer's disease, 220
Bogdanovic, N., see Blomqvist, M.E.-L., 220
Bonnetblanc, F., Martin, O., Teasdale, N., Pointing to a target from an upright standing position: anticipatory postural adjustments are modulated by the size of the target in humans, 181
Brayne, C., see Cook, L.J., 142
Brookes, A.J., see Blomqvist, M.E.-L., 220
Burgunder, J.-M., see Weber, M., 17

Cairns, N.J., see Cook, L.J., 142
Campbell, B., see Rémy, F., 25
Caron, O., see Asseman, F., 83
Chae, Y., Yang, C.H., Kwon, Y.K., Kim, M.R., Pyun, K.-H., Hahm, D.-H., Lee, H.-J., Shim, I., Acupuncture attenuates repeated nicotine-induced behavioral sensitization and c-Fos expression in the nucleus accumbens and striatum of the rat, 87
Chairoungdua, A., see Matsuo, H., 123
Cheng, J.-T., see Jou, S.-B., 111
Chiyoda, T., see Ohba, H., 157
Cho, Y.-W., see Jang, M.-H., 189
Clemente, I.C., see Solé-Padullés, C., 5
Codron, V., see Helbecque, N., 41
Cook, D.J., Kulbatski, I., Tator, C.H., Inosine reverses the inhibitory effects of the L-type Ca^{2+} channel antagonist, DM-BODIPY-dihydropyridine, on neuritogenesis in an in vitro rat superior cervical ganglia axotomy model, 75
Cook, L.J., Ho, L.W., Taylor, A.E., Brayne, C., Evans, J.G., Xuereb, J., Cairns, N.J., Pritchard, A., Lemmon, H., Mann, D., St Clair, D., Turic, D., Hollingworth, P., Moore, P.J., Jehu, L., Archer, N., Walter, S., Foy, C., Edmondson, A., Powell, J., Lovestone, S., Owen, M.J., Williams, J., Lendon, C., Rubinsztein, D.C., Candidate gene association studies of the α4 (CHRNA4) and β2 (CHRNB2) neuronal nicotinic acetylcholine receptor subunit genes in Alzheimer's disease, 142
Cottel, D., see Helbecque, N., 41
Crémieux, J., see Asseman, F., 83

Darnell, R.B., see Ohba, H., 157
Davalos, D.B., see Kisley, M.A., 197
De La Cruz, J.P., see Guerrero, A., 153
Dersch, C.M., see Bergasa, N.V., 68
Drago, F., see Medico, M., 37
Drewes, A.M., Rössel, P., Le Pera, D., Arendt-Nielsen, L., Valeriani, M., Dipolar source modelling of brain potentials evoked by painful electrical stimulation of the human sigmoid colon, 45
Due, M.R., Jing, J., Weiss, K.R., Dopaminergic contributions to modulatory functions of a dual-transmitter interneuron in *Aplysia*, 53
Durif, C., see Rouiller, E.M., 49

Edmondson, A., see Cook, L.J., 142
Ellis, J.K., see Kisley, M.A., 197
Emmett, S.R., Greenfield, S.A., A peptide derived from the C-terminal region of acetylcholinesterase modulates extracellular concentrations of acetylcholinesterase in the rat substantia nigra, 210
Endo, E., see Ohba, H., 157
Endou, H., see Matsuo, H., 123
Evans, J.G., see Cook, L.J., 142
Ezell, E.L., see Surendran, S., 29

Farkas, T., see Kis, Z., 223
Farook, J.M., Zhu, Y.Z., Wang, Q., Moochhala, S.M., Lee, L., Wong, P.T.-H., Analysis of strain difference in behavior to Cholecystokinin (CCK) receptor mediated drugs in PVG hooded and Sprague–Dawley rats using elevated plus-maze test apparatus, 215
Faurion, A., see Vandenbeuch, A., 137
Ferreyra, G.A., see Marpegan, L., 9
Fisichella, A., see Avola, R., 177
Foy, C., see Cook, L.J., 142
Freudenthal, R., see Marpegan, L., 9
Fujino, M., see Matsumoto, Y., 99
Fukuda, J., see Matsuo, H., 123

Golombek, D.A., see Marpegan, L., 9
González-Correa, J.A., see Guerrero, A., 153

doi:10.1016/S0304-3940(04)00251-4

ELSEVIER

Neuroscience Letters 358 (2004) 226–229

Neuroscience Letters

www.elsevier.com/locate/neulet

Author Index to Volume 358

Abe, M., see Matsumoto, Y., 99
Adachi, Y., see Matsumoto, Y., 99
Amouyel, P., see Helbecque, N., 41
Andreasen, N., see Blomqvist, M.E.-L., 220
Archer, N., see Cook, L.J., 142
Arendt-Nielsen, L., see Drewes, A.M., 45
Arrebola, M.M., see Guerrero, A., 153
Asseman, F., Caron, O., Crémieux, J., Is there a transfer of postural ability from specific to unspecific postures in elite gymnasts?, 83
Avola, R., Mignini, F., Mazzone, V., Fisichella, A., Zaccheo, D., Tomassoni, D., Growth factor-estradiol interaction on DNA labeling and cytoskeletal protein expression in cultured rat astrocytes, 177

Baba, Y., see Ogawa, H., 185
Bai, S., see Liu, Y., 149
Baik, H.-H., see Jang, M.-H., 189
Banta, M., see Wersinger, C., 95
Bartrés-Faz, D., see Solé-Padullés, C., 5
Bekinschtein, T.A., see Marpegan, L., 9
Bergasa, N.V., Dersch, C.M., Rothman, R.B., A study of bile acids as opioid receptor ligands in rat brain membranes, 68
Berr, C., see Helbecque, N., 41
Bilecki, W., see Starowicz, K., 79
Blennow, K., see Blomqvist, M.E.-L., 220
Blomqvist, M.E.-L., Andreasen, N., Bogdanovic, N., Blennow, K., Brookes, A.J., Prince, J.A., Genetic variation in *CTNNA3* encoding alpha-3 catenin and Alzheimer's disease, 220
Bogdanovic, N., see Blomqvist, M.E.-L., 220
Bonnetblanc, F., Martin, O., Teasdale, N., Pointing to a target from an upright standing position: anticipatory postural adjustments are modulated by the size of the target in humans, 181
Brayne, C., see Cook, L.J., 142
Brookes, A.J., see Blomqvist, M.E.-L., 220
Burgunder, J.-M., see Weber, M., 17

Cairns, N.J., see Cook, L.J., 142
Campbell, B., see Rémy, F., 25
Caron, O., see Asseman, F., 83
Chae, Y., Yang, C.H., Kwon, Y.K., Kim, M.R., Pyun, K.-H., Hahm, D.-H., Lee, H.-J., Shim, I., Acupuncture attenuates repeated nicotine-induced behavioral sensitization and c-Fos expression in the nucleus accumbens and striatum of the rat, 87
Chairoungdua, A., see Matsuo, H., 123
Cheng, J.-T., see Jou, S.-B., 111
Chiyoda, T., see Ohba, H., 157
Cho, Y.-W., see Jang, M.-H., 189
Clemente, I.C., see Solé-Padullés, C., 5
Codron, V., see Helbecque, N., 41
Cook, D.J., Kulbatski, I., Tator, C.H., Inosine reverses the inhibitory effects of the L-type Ca^{2+} channel antagonist, DM-BODIPY-dihydropyridine, on neuritogenesis in an in vitro rat superior cervical ganglia axotomy model, 75
Cook, L.J., Ho, L.W., Taylor, A.E., Brayne, C., Evans, J.G., Xuereb, J., Cairns, N.J., Pritchard, A., Lemmon, H., Mann, D., St Clair, D., Turic, D., Hollingworth, P., Moore, P.J., Jehu, L., Archer, N., Walter, S., Foy, C., Edmondson, A., Powell, J., Lovestone, S., Owen, M.J., Williams, J., Lendon, C., Rubinsztein, D.C., Candidate gene association studies of the α4 (CHRNA4) and β2 (CHRNB2) neuronal nicotinic acetylcholine receptor subunit genes in Alzheimer's disease, 142
Cottel, D., see Helbecque, N., 41
Crémieux, J., see Asseman, F., 83

Darnell, R.B., see Ohba, H., 157
Davalos, D.B., see Kisley, M.A., 197
De La Cruz, J.P., see Guerrero, A., 153
Dersch, C.M., see Bergasa, N.V., 68
Drago, F., see Medico, M., 37
Drewes, A.M., Rössel, P., Le Pera, D., Arendt-Nielsen, L., Valeriani, M., Dipolar source modelling of brain potentials evoked by painful electrical stimulation of the human sigmoid colon, 45
Due, M.R., Jing, J., Weiss, K.R., Dopaminergic contributions to modulatory functions of a dual-transmitter interneuron in *Aplysia*, 53
Durif, C., see Rouiller, E.M., 49

Edmondson, A., see Cook, L.J., 142
Ellis, J.K., see Kisley, M.A., 197
Emmett, S.R., Greenfield, S.A., A peptide derived from the C-terminal region of acetylcholinesterase modulates extracellular concentrations of acetylcholinesterase in the rat substantia nigra, 210
Endo, E., see Ohba, H., 157
Endou, H., see Matsuo, H., 123
Evans, J.G., see Cook, L.J., 142
Ezell, E.L., see Surendran, S., 29

Farkas, T., see Kis, Z., 223
Farook, J.M., Zhu, Y.Z., Wang, Q., Moochhala, S.M., Lee, L., Wong, P.T.-H., Analysis of strain difference in behavior to Cholecystokinin (CCK) receptor mediated drugs in PVG hooded and Sprague–Dawley rats using elevated plus-maze test apparatus, 215
Faurion, A., see Vandenbeuch, A., 137
Ferreyra, G.A., see Marpegan, L., 9
Fisichella, A., see Avola, R., 177
Foy, C., see Cook, L.J., 142
Freudenthal, R., see Marpegan, L., 9
Fujino, M., see Matsumoto, Y., 99
Fukuda, J., see Matsuo, H., 123

Golombek, D.A., see Marpegan, L., 9
González-Correa, J.A., see Guerrero, A., 153

doi:10.1016/S0304-3940(04)00251-4

González-Pérez, E., see Solé-Padullés, C., 5
Grech, M., see Medico, M., 37
Greenfield, S.A., see Emmett, S.R., 210
Guerrero, A., González-Correa, J.A., Arrebola, M.M., Muñoz-Marín, J., Sánchez De La Cuesta, F., De La Cruz, J.P., Antioxidant effects of a single dose of acetylsalicylic acid and salicylic acid in rat brain slices subjected to oxygen-glucose deprivation in relation with its antiplatelet effect, 153
Guertin, P.A., Synergistic activation of the central pattern generator for locomotion by L-beta-3,4-dihydroxyphenylalanine and quipazine in adult paraplegic mice, 71
Guo, S.-Y., see Jiang, X.-H., 1

Hahm, D.-H., see Chae, Y., 87
Hama, A.T., Urban, M.O., Antihyperalgesic effect of the cannabinoid agonist WIN55,212-2 is mediated through an interaction with spinal metabotropic glutamate-5 receptors in rats, 21
Hashimoto, Y., Miyakawa, H., Kudo, Y., Inoue, M., 6-Cyano-7-nitroquinoxaline-2,3-dione (CNQX) increases $GABA_A$ receptor-mediated spontaneous postsynaptic currents in the dentate granule cells of rat hippocampal slices, 33
Hathway, G.J., Humphrey, P.P.A., Kendrick, K.M., Somatostatin induces striatal dopamine release and contralateral turning behaviour in the mouse, 127
Hayakawa, Y., see Ohba, H., 157
Helbecque, N., Cottel, D., Codron, V., Berr, C., Amouyel, P., Paraoxonase 1 gene polymorphisms and dementia in humans, 41
Hisamitsu, T., see Jiang, X.-H., 1
Ho, L.W., see Cook, L.J., 142
Hollingworth, P., see Cook, L.J., 142
Honkura, N., see Inoue, Y., 147
Honma, K.-i., see Honma, S., 173
Honma, S., Nakamura, W., Shirakawa, T., Honma, K.-i., Diversity in the circadian periods of single neurons of the rat suprachiasmatic nucleus depends on nuclear structure and intrinsic period, 173
Horibe, Y., see Jiang, X.-H., 1
Horváth, S., see Kis, Z., 223
Hotta, H., Kanai, C., Uchida, S., Kanda, K., Stimulation of the nucleus basalis of Meynert increases diameter of the parenchymal blood vessels in the rat cerebral cortex, 103
Humphrey, P.P.A., see Hathway, G.J., 127
Hwang, E.-G., see Jang, M.-H., 189

Inokuchi, K., see Inoue, Y., 147
Inoue, M., see Hashimoto, Y., 33
Inoue, Y., Honkura, N., Kato, A., Ogawa, S., Udo, H., Inokuchi, K., Sugiyama, H., Erratum to "Activity-inducible protein Homer 1a/Ves1-1S promotes redistribution of postsynaptic protein Homer 1c/Ves1-1L in cultured rat hippocampal neurons" [Neuroscience Letters 354 (2004) 143–147], 147
Ishii, R., see Ogawa, A., 193
Ishimine, H., see Matsuo, H., 123
Ito, S., see Ohta, T., 161
Itoi, K., see Jiang, Y.-Q., 201
Iwasaki, Y., see Jiang, Y.-Q., 201
Izumi, Y., see Terasawa, H., 107

Jang, M.-H., Shin, M.-C., Cho, Y.-W., Baik, H.-H., Kim, S.-S., Hwang, E.-G., Kim, C.-J., 1,2-bis(2-aminophenoxy)ethane-*N,N,N′N′*-tetraacetic acid (BAPTA-AM) inhibits caffeine-induced apoptosis in human neuroblastoma cells, 189
Jehu, L., see Cook, L.J., 142
Jiang, X.-H., Guo, S.-Y., Xu, S., Yin, Q.-Z., Ohshita, Y., Naitoh, M., Horibe, Y., Hisamitsu, T., Sympathetic nervous system mediates cold stress-induced suppression of natural killer cytotoxicity in rats, 1
Jiang, Y.-Q., Kawashima, H., Iwasaki, Y., Uchida, K., Sugimoto, K., Itoi, K., Differential effects of forced swim-stress on the corticotropin-releasing hormone and vasopressin gene transcription in the parvocellular division of the paraventricular nucleus of rat hypothalamus, 201
Jing, J., see Due, M.R., 53
Jou, S.-B., Liu, I.-M., Cheng, J.-T., Activation of imidazoline receptor by agmatine to lower plasma glucose in streptozotocin-induced diabetic rats, 111
Jung, S., see Kahl, K.G., 58
Junqué, C., see Solé-Padullés, C., 5

Kahl, K.G., Schmidt, H.H.H.W., Jung, S., Sherman, P., Toyka, K.V., Zielasek, J., Experimental autoimmune encephalomyelitis in mice with a targeted deletion of the inducible nitric oxide synthase gene: increased T-helper 1 response, 58
Kanai, C., see Hotta, H., 103
Kanai, Y., see Matsuo, H., 123
Kanda, K., see Hotta, H., 103
Kato, A., see Inoue, Y., 147
Kawaguchi, S., see Ogawa, A., 193
Kawakami, H., see Terasawa, H., 107
Kawano, T., Zhao, P., Nakajima, S., Nakajima, Y., Single-cell RT-PCR analysis of GIRK channels expressed in rat locus coeruleus and nucleus basalis neurons, 63
Kawashima, H., see Jiang, Y.-Q., 201
Kendrick, K.M., see Hathway, G.J., 127
Kim, C.-J., see Jang, M.-H., 189
Kim, M.R., see Chae, Y., 87
Kim, S.-S., see Jang, M.-H., 189
Kimura, F., see Masuda, J., 169
Kis, Z., Rákos, G., Farkas, T., Horváth, S., Toldi, J., Facial nerve injury induces facilitation of responses in both trigeminal and facial nuclei of rat, 223
Kisley, M.A., Davalos, D.B., Layton, H.S., Pratt, D., Ellis, J.K., Seger, C.A., Small changes in temporal deviance modulate mismatch negativity amplitude in humans, 197
Kitada, C., see Matsumoto, Y., 99
Kobayashi, Y., see Matsuo, H., 123
Kudo, Y., see Hashimoto, Y., 33
Kulbatski, I., see Cook, D.J., 75
Kurokawa, T., see Matsumoto, Y., 99
Kwon, Y.K., see Chae, Y., 87

Lauterburg, T., see Weber, M., 17
Layton, H.S., see Kisley, M.A., 197
Le Pera, D., see Drewes, A.M., 45
Lee, H.-J., see Chae, Y., 87
Lee, L., see Farook, J.M., 215
Lemmon, H., see Cook, L.J., 142
Lendon, C., see Cook, L.J., 142
Liu, I.-M., see Jou, S.-B., 111
Liu, Y., Ren, H., Wu, C., Bai, S., Zhang, X., Ru, B., Attenuation of zinc-induced neuronal death by the interaction of growth inhibitory factor with Rab3A in rat hippocampal neurons, 149

Lovestone, S., see Cook, L.J., 142
Luo, W.-R., see Tsai, M.-L., 165

Mann, D., see Cook, L.J., 142
Marpegan, L., Bekinschtein, T.A., Freudenthal, R., Rubio, M.F., Ferreyra, G.A., Romano, A., Golombek, D.A., Participation of transcription factors from the Rel/NF-κB family in the circadian system in hamsters, 9
Martin, L., see Noé, F., 115
Martin, O., see Bonnetblanc, F., 181
Maruyama, H., see Terasawa, H., 107
Masuda, J., Mitsushima, D., Kimura, F., Female rats living in small cages respond to restraint stress with both adrenocortical corticosterone release and acetylcholine release in the hippocampus, 169
Matalon, R., see Surendran, S., 29
Matarín, M., see Solé-Padullés, C., 5
Matsumoto, M., see Terasawa, H., 107
Matsumoto, Y., Abe, M., Watanabe, T., Adachi, Y., Yano, T., Takahashi, H., Sugo, T., Mori, M., Kitada, C., Kurokawa, T., Fujino, M., Intracerebroventricular administration of urotensin II promotes anxiogenic-like behaviors in rodents, 99
Matsuo, H., Kanai, Y., Tokunaga, M., Nakata, T., Chairoungdua, A., Ishimine, H., Tsukada, S., Ooigawa, H., Nawashiro, H., Kobayashi, Y., Fukuda, J., Endou, H., High affinity D- and L-serine transporter Asc-1: cloning and dendritic localization in the rat cerebral and cerebellar cortices, 123
Mazzone, V., see Avola, R., 177
Medico, M., Nicosia, A., Grech, M., Onesta, M., Sessa, G., Rampello, L., Drago, F., Riluzole restores motor activity in rats with post-traumatic peripheral neuropathy, 37
Meyer-Spasche, A., Piggins, H.D., Vasoactive intestinal polypeptide phase-advances the rat suprachiasmatic nuclei circadian pacemaker in vitro via protein kinase A and mitogen-activated protein kinase, 91
Michals-Matalon, K., see Surendran, S., 29
Mignini, F., see Avola, R., 177
Minami, A., see Takeda, A., 119
Mirrashed, F., see Rémy, F., 25
Mitsushima, D., see Masuda, J., 169
Miyachi, T., see Terasawa, H., 107
Miyakawa, H., see Hashimoto, Y., 33
Miyatake, M., see Mizuo, K., 13
Mizuo, K., Narita, M., Miyatake, M., Suzuki, T., Enhancement of dopamine-induced signaling responses in the forebrain of mice lacking dopamine D_3 receptor, 13
Moochhala, S.M., see Farook, J.M., 215
Moore, P.J., see Cook, L.J., 142
Moral, P., see Solé-Padullés, C., 5
Mori, M., see Matsumoto, Y., 99
Mori, Y., see Ohta, T., 161
Morino, H., see Terasawa, H., 107
Morishita, M., see Ohta, T., 161
Moya, A., see Solé-Padullés, C., 5
Muñoz-Marín, J., see Guerrero, A., 153

Naitoh, M., see Jiang, X.-H., 1
Nakajima, S., see Kawano, T., 63
Nakajima, Y., see Kawano, T., 63
Nakamura, W., see Honma, S., 173
Nakata, T., see Matsuo, H., 123
Narita, M., see Mizuo, K., 13
Nawashiro, H., see Matsuo, H., 123
Nicosia, A., see Medico, M., 37
Noé, F., Quaine, F., Martin, L., The role of anticipatory postural adjustments in a rocking on heels movement, 115

Obata, K., see Yamanaka, H., 132
Oda, M., see Terasawa, H., 107
Ogawa, A., Ukai, S., Shinosaki, K., Yamamoto, M., Kawaguchi, S., Ishii, R., Takeda, M., Slow repetitive transcranial magnetic stimulation increases somatosensory high-frequency oscillations in humans, 193
Ogawa, H., Baba, Y., Oka, K., Directional sensitivity of dendritic calcium responses to wind stimuli in the cricket giant interneuron, 185
Ogawa, S., see Inoue, Y., 147
Ohba, H., Chiyoda, T., Endo, E., Yano, M., Hayakawa, Y., Sakaguchi, M., Darnell, R.B., Okano, H.J., Okano, H., Sox21 is a repressor of neuronal differentiation and is antagonized by YB-1, 157
Ohshita, Y., see Jiang, X.-H., 1
Ohta, T., Morishita, M., Mori, Y., Ito, S., Ca^{2+} store-independent augmentation of $[Ca^{2+}]_i$ responses to G-protein coupled receptor activation in recombinantly TRPC5-expressed rat pheochromocytoma (PC12) cells, 161
Oka, K., see Ogawa, H., 185
Okano, H., see Ohba, H., 157
Okano, H.J., see Ohba, H., 157
Oku, N., see Takeda, A., 119
Onesta, M., see Medico, M., 37
Ooigawa, H., see Matsuo, H., 123
Owen, M.J., see Cook, L.J., 142

Piggins, H.D., see Meyer-Spasche, A., 91
Pillias, A.-M., see Vandenbeuch, A., 137
Powell, J., see Cook, L.J., 142
Pratt, D., see Kisley, M.A., 197
Prince, J.A., see Blomqvist, M.E.-L., 220
Pritchard, A., see Cook, L.J., 142
Przewlocka, B., see Starowicz, K., 79
Przewlocki, R., see Starowicz, K., 79
Pyun, K.-H., see Chae, Y., 87

Quaine, F., see Noé, F., 115
Quast, M.J., see Surendran, S., 29

Rákos, G., see Kis, Z., 223
Rampello, L., see Medico, M., 37
Rémy, F., Mirrashed, F., Campbell, B., Richter, W., Mental calculation impairment in Alzheimer's disease: a functional magnetic resonance imaging study, 25
Ren, H., see Liu, Y., 149
Richter, W., see Rémy, F., 25
Romano, A., see Marpegan, L., 9
Rössel, P., see Drewes, A.M., 45
Rothman, R.B., see Bergasa, N.V., 68
Rouiller, E.M., Durif, C., The dual pattern of corticothalamic projection of the primary auditory cortex in macaque monkey, 49
Ru, B., see Liu, Y., 149
Rubinsztein, D.C., see Cook, L.J., 142
Rubio, M.F., see Marpegan, L., 9

Sakaguchi, M., see Ohba, H., 157
Sánchez De La Cuesta, F., see Guerrero, A., 153
Schmidt, H.H.H.W., see Kahl, K.G., 58

Seger, C.A., see Kisley, M.A., 197
Sessa, G., see Medico, M., 37
Shann, W.-C., see Tsai, M.-L., 165
Sherman, P., see Kahl, K.G., 58
Shim, I., see Chae, Y., 87
Shin, M.-C., see Jang, M.-H., 189
Shinosaki, K., see Ogawa, A., 193
Shirakawa, T., see Honma, S., 173
Sidhu, A., see Wersinger, C., 95
Sieja, A., see Starowicz, K., 79
Solé-Padullés, C., Bartrés-Faz, D., Junqué, C., Via, M., Matarín, M., González-Pérez, E., Moral, P., Moya, A., Clemente, I.C., Poorer cognitive performance in humans with mild cognitive impairment carrying the T variant of the Glu/Asp NOS3 polymorphism, 5
St Clair, D., see Cook, L.J., 142
Starowicz, K., Bilecki, W., Sieja, A., Przewlocka, B., Przewlocki, R., Melanocortin 4 receptor is expressed in the dorsal root ganglions and down-regulated in neuropathic rats, 79
Sugimoto, K., see Jiang, Y.-Q., 201
Sugiyama, H., see Inoue, Y., 147
Sugo, T., see Matsumoto, Y., 99
Surendran, S., Ezell, E.L., Quast, M.J., Wei, J., Tyring, S.K., Michals-Matalon, K., Matalon, R., Mental retardation and hypotonia seen in the knock out mouse for Canavan disease is not due to succinate semialdehyde dehydrogenase deficiency, 29
Suzuki, T., see Mizuo, K., 13

Takahashi, H., see Matsumoto, Y., 99
Takeda, A., Minami, A., Yamaide, R., Oku, N., Involvement of amygdalar extracellular zinc in rat behavior for passive avoidance, 119
Takeda, M., see Ogawa, A., 193
Tator, C.H., see Cook, D.J., 75
Taylor, A.E., see Cook, L.J., 142
Teasdale, N., see Bonnetblanc, F., 181
Terasawa, H., Oda, M., Morino, H., Miyachi, T., Izumi, Y., Maruyama, H., Matsumoto, M., Kawakami, H., A novel haplotype of spinocerebellar ataxia type 6 contributes to the highest prevalence in Western Japan, 107
Tobler, I., see Weber, M., 17
Tokunaga, M., see Matsuo, H., 123
Toldi, J., see Kis, Z., 223
Tomassoni, D., see Avola, R., 177
Toyka, K.V., see Kahl, K.G., 58
Tsai, M.-L., Shann, W.-C., Luo, W.-R., Yen, C.-T., Wavelet-based analysis of low-frequency fluctuations of blood pressure and sympathetic nerve activity in rats, 165
Tsukada, S., see Matsuo, H., 123
Turic, D., see Cook, L.J., 142
Tyring, S.K., see Surendran, S., 29

Uchida, K., see Jiang, Y.-Q., 201
Uchida, S., see Hotta, H., 103
Udo, H., see Inoue, Y., 147
Ukai, S., see Ogawa, A., 193
Urban, M.O., see Hama, A.T., 21

Valeriani, M., see Drewes, A.M., 45
Vandenbeuch, A., Pillias, A.-M., Faurion, A., Modulation of taste peripheral signal through interpapillar inhibition in hamsters, 137
Via, M., see Solé-Padullés, C., 5

Walter, S., see Cook, L.J., 142
Wang, Q., see Farook, J.M., 215
Watanabe, T., see Matsumoto, Y., 99
Weber, M., Lauterburg, T., Tobler, I., Burgunder, J.-M., Circadian patterns of neurotransmitter related gene expression in motor regions of the rat brain, 17
Wei, J., see Surendran, S., 29
Weiss, K.R., see Due, M.R., 53
Wenger, D.A., see Zaka, M., 205
Wersinger, C., Banta, M., Sidhu, A., Comparative analyses of α-synuclein expression levels in rat brain tissues and transfected cells, 95
Williams, J., see Cook, L.J., 142
Wong, P.T.-H., see Farook, J.M., 215
Wu, C., see Liu, Y., 149

Xu, S., see Jiang, X.-H., 1
Xuereb, J., see Cook, L.J., 142

Yamaide, R., see Takeda, A., 119
Yamamoto, M., see Ogawa, A., 193
Yamanaka, H., Obata, K., Displaced granule cells in the molecular layer of the cerebellar cortex in mice treated with methylazoxymethanol, 132
Yang, C.H., see Chae, Y., 87
Yano, M., see Ohba, H., 157
Yano, T., see Matsumoto, Y., 99
Yen, C.-T., see Tsai, M.-L., 165
Yin, Q.-Z., see Jiang, X.-H., 1

Zaccheo, D., see Avola, R., 177
Zaka, M., Wenger, D.A., Psychosine-induced apoptosis in a mouse oligodendrocyte progenitor cell line is mediated by caspase activation, 205
Zhang, X., see Liu, Y., 149
Zhao, P., see Kawano, T., 63
Zhu, Y.Z., see Farook, J.M., 215
Zielasek, J., see Kahl, K.G., 58